

# Product Information



A PRODUCT OF THE VALVOLINE COMPANY A DIVISION OF ASHLAND INC.

## IG-LO FUEL DRIER ISOPROPYL PART NO. FDI-12

- Removes Water from Fuel Systems
- Stops Gas Line Freeze
- Prevents Carburetor Icing
- Safe for Fuel Injectors
- Use Year-Round
- Safe for Oxygen Sensors and Catalytic Convertors

### Water in Fuel Means Trouble

Water is almost always present in fuel, either as results of contamination or condensation. Ice during cold weather and rust during any weather mean trouble. **IG-LO Fuel Drier Isopropyl** inhibits both ice and rust while removing water from the fuel system.. Rust, like ice, can stop fuel flow by clogging filters and critical passages in the fuel system. Most importantly, the presence of rust means some component of the fuel system is deteriorating. Unlike ice, rust occurs year-round, which means fuel systems need year-round protection. **IG-LO Fuel Drier Isopropyl** is formulated with a proven rust inhibitor.

### Oxygen Sensors - Catalytic Converters - Fuel Injectors

Ash producing compounds such as lead, manganese, phosphorus, silicone, etc. are harmful to both oxygen sensors and catalytic converters. **IG-LO Fuel Drier Isopropyl** contains no ash producing compounds and will not harm oxygen sensors or catalytic converters. Fuel injectors and fuel system elastomers are not adversely affected by small amounts of alcohol. Automobile manufactureres who warn against the continual use of alcohol enriched gasoline are referring to gasoline containing more than 5% methanol or more than 10% ethanol. When used as directed, the concentration of **IG-LO Fuel Drier Isopropyl** in gasoline will be less than 1%.

### Applications

**IG-LO Fuel Drier Isopropyl** is suitable for use in both unleaded and leaded gasoline. It is recommended for year-round use, especially when water contamination is suspected or high humidity causes condensation in fuel tanks.

### Technical Data:

Specific Gravity	0.79 at 60°F
Appearance	Clear, Colorless Liquid

Caution: Contains isopropyl alcohol, product is flammable.

This information only applies to products manufactured in the following location(s): USA, Canada.

Effective Date:	Expiration Date:	Replaces:	Author's Initials:	Code
03-01-04	06-01-08		RJB	